



# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Format No. AGSS/QS/F-024  
Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

## TEST REPORT

Page No.: 1 of 2

<b>Issued to :</b> <b>Upakarma Ayurveda Private Limited</b> 873-874, Aggarwal Cyber Plaza-II, Netaji Subhash Place, Pitampura, New Delhi 110034	<b>ULR No.</b> : TC148442500000316F <b>Report No.</b> : AGSS/AP/24122400003 <b>Sample Issue Date</b> : 24/12/2024 <b>Report Issue Date</b> : 02/01/2025
---	--

<b>Name of The Product</b>	: Kesar 1gm	<b>Sample Received Date</b>	: 24/12/2024
<b>Product Description</b>	: Dark Red Colour Fikments	<b>Analysis Starting Date</b>	: 24/12/2024
<b>Batch No./Lot No.</b>	: KRJ2402UA	<b>Analysis Completion Date</b>	: 02/01/2025
<b>Date of Manufacturing</b>	: NOV/2024	<b>Date of Sampling</b>	: -
<b>Date of Expiry</b>	: OCT/2026	<b>Quantity Received</b>	: 1gm x 4 Nos.
<b>Packing Condition</b>	: Paper Box	<b>Environment Condition</b>	: Ok
<b>Location</b>	: NA	<b>Sampling Method</b>	: NA
<b>Sample Received / Collected By</b>	: Mr. Ashok Kumar (AGSS Lab Repre.)	<b>Sampling By</b>	: NA
<b>Testing Required</b>	: Chemical & Microbiological Test		
<b>Others specification</b>	: NA		

## TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
<b>Heavy Metals</b>					
1	Arsenic	mg/kg	BLQ(0.05)	3.0 Max	AGSS/CHEM/SOP-ICPMS-13
2	Cadmium	mg/kg	BLQ(0.05)	0.3 Max	AGSS/CHEM/SOP-ICPMS-13
3	Lead	mg/kg	BLQ(0.05)	10.0 Max	AGSS/CHEM/SOP-ICPMS-13
4	Mercury	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS-13
<b>Microbiological Parameters</b>					
5	E.coli	/g	Absent	Absent	API, PART-2,VOL-IV, APPENDIX-2.4.2:2017
6	Salmonella	/g	Absent	Absent	API, PART-2,VOL-IV, APPENDIX-2.4.2:2017
7	Pseudomonas aeruginosa	/g	Absent	Absent	API, PART-2,VOL-IV, APPENDIX-2.4.2:2017
8	S.aureus	/g	Absent	Absent	API, PART-2,VOL-IV, APPENDIX-2.4.2:2017
9	Total Bacterial Count	cfu/g	2700	100000 Max	API, PART-2,VOL-IV, APPENDIX-2.4.1:2017
10	Total Fungal Count	cfu/g	<10	1000 Max	API, PART-2,VOL-IV, APPENDIX-2.4.1:2017


P/24122400003-1



*Nidhi Gupta*  
Nidhi Gupta  
Technical Manager  
Checked by

*Sooraj Gautam*  
Sooraj Gautam  
Microbiologist  
Authorized Signatory

*Dr Shival Singh*  
Dr Shival Singh  
Director Technical  
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



Format No.: AGSS/QS/F-024

Certificate No. TC-14844

CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Page No.: 2 of 2

Issued to :  
**Upakarma Ayurveda Private Limited**  
873-874, Aggarwal Cyber Plaza-II, Netaji Subhash Place, Pitampura, New  
Delhi 110034

ULR No. : TC148442500000316F  
Report No. : AGSS/AP/24122400003  
Sample Issue Date : 24/12/2024  
Report Issue Date : 02/01/2025


Remarks : The Tested Sample Conforms as per API (P-2) Vol-IV APPENDIX 2.4.1 & 2.4.2:2017. with respect to above tests only.


\*\*\*End of Report\*\*\*


# AGSS


P/24122400003-2



  
Nidhi Gupta  
Technical Manager  
Checked by

  
Sooraj Gautam  
Microbiologist  
Authorized Signatory

  
Dr Shival Singh  
Director Technical  
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

## TEST REPORT

Page No.: 1 of 1

<b>Issued to :</b> <b>Upakarma Ayurveda Private Limited</b> 873-874, Aggarwal Cyber Plaza-II, Netaji Subhash Place, Pitampura, New Delhi 110034	<b>Report No.</b> : AGSS/AP/24122400003/N <b>Sample Issue Date</b> : 24/12/2024 <b>Report Issue Date</b> : 02/01/2025
---	---

Name of The Product	: Kesar 1gm	Sample Received Date	: 24/12/2024
Product Description	: Dark Red Colour Filaments	Analysis Starting Date	: 24/12/2024
Batch No./Lot No.	: KRJ2402UA	Analysis Completion Date	: 02/01/2025
Date of Manufacturing	: NOV/2024	Date of Sampling	: -
Date of Expiry	: OCT/2026	Quantity Received	: 1gm x 4 Nos.
Packing Condition	: Paper Box	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Mr. Ashok Kumar (AGSS Lab Repre.)	Sampling By	: NA
Testing Required	: Chemical & Microbiological Test		
Others specification	: NA		

## TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
<b>Chemical Parameters</b>					
1	Description	-	Dark Red Colour Filaments	-	In House Method
2	Moisture	%	8.10	-	IS:5453(P-2):2016
3	Total Ash	%	5.81	-	IS:5453(P-2):2016
4	Acid Insoluble Ash	%	0.09	-	IS:5453(P-2):2016
5	Safranal	%	46.3	-	IS:5453(P-2):2016

Remarks : The Tested Sample Conforms as per API (P-2) Vol-IV APPENDIX 2.4.1 & 2.4.2:2017. with respect to above tests only.

\*\*\*End of Report\*\*\*

P/24122400003/N-1



Nidhi Gupta  
Technical Manager  
Checked by

Sooraj Gautam  
Microbiologist  
Authorized Signatory

Dr Shival Singh  
Director Technical  
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.