



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

TEST REPORT

Page No.: 1 of 2

Issued to : M/s. Pharma Force Lab Unit-II Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	ULR No. : TC148442500002103F Report No. : AGSS/AP/25021000001 Sample Issue Date : 10/02/2025 Report Issue Date : 15/02/2025
---	--

Name of The Product	: Upakarma Ayurveda Pure Shilajit Resin with Ashwagandha	Sample Received Date	: 10/02/2025
Product Description	: Black Colour Viscous Liquid	Analysis Starting Date	: 10/02/2025
Batch No./Lot No.	: 8MAI2501	Analysis Completion Date	: 15/02/2025
Date of Manufacturing	: JAN/2025	Date of Sampling	: -
Date of Expiry	: DEC/2026	Quantity Received	: 10gm x 6
Packing Condition	: Glass Container	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Mr. Ashok Kumar (AGSS Lab Repre.)	Sampling By	: NA
Testing Required	: Chemical Test		
Others specification	: Upakarma Ayurveda Pure Shilajit Resin with Ashwagandha		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
Chemical Parameters					
1	Moisture	%	16.36	-	API Part II Vol IV, Page No-117, 2017
2	Total Ash	%	18.91	-	API Part II Vol IV, Page No-117, 2017
3	Acid Insoluble Ash	%	0.13	-	API Part II Vol IV, Page No-117, 2017
Heavy Metals					
4	Arsenic	mg/kg	BLQ(0.05)	3.0 Max	AGSS/CHEM/SOP-ICPMS-13
5	Cadmium	mg/kg	BLQ(0.05)	0.3 Max	AGSS/CHEM/SOP-ICPMS-13
6	Lead	mg/kg	BLQ(0.05)	10.0 Max	AGSS/CHEM/SOP-ICPMS-13
7	Mercury	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS-13
Microbiological Parameters					
8	Total Bacterial count	cfu/g	3800	100000 Max	API, PART-2 VOL-IV, APPENDIX-2.4.1 : 2017
9	Total Fungal count	cfu/g	<10	1000 Max	API, PART-2 VOL-IV, APPENDIX-2.4.1 : 2017
10	E.coli	/g	Absent	Absent	API, PART-2 VOL-IV,

P/25021000001-1



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory

Dr Shiva Singh
Director Technical
Authorized Signatory
AGSS
Delhi

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com



CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/CSF/024 No. TC-14844

Page No.: 2 of 2

Issued to : M/s. Pharma Force Lab Unit-II Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	ULR No. : TC148442500002103F Report No. : AGSS/AP/25021000001 Sample Issue Date : 10/02/2025 Report Issue Date : 15/02/2025
---	--

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
10					APPENDIX.-2.4.2 : 2017
11	Salmonella	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017
12	Pseudomonas aeruginosa	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017
13	S.aureus	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017

Remarks : The Tested sample conforms as per API, Part II Vol IV Appendix-2.4.1 and 2.4.2:2017 with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

End of Report

AGSS

P/25021000001-2



Imran Asif

Section In Charge (Food)

Checked by

Sooraj Gautam
Microbiologist

Authorized Signatory

Dr Shival Singh
Director Technical

Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

CIN : U73200DL2016PTC300483

Format No.: AGSS/QS/F-024

TEST REPORT

Page No.: 1 of 1

Issued to : M/s. Pharma Force Lab Unit-II Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	Report No. : AGSS/AP/25021000001/N Sample Issue Date : 10/02/2025 Report Issue Date : 15/02/2025
---	---

Name of The Product	: Upakarma Ayurveda Pure Shilajit Resin with Ashwagandha	Sample Received Date	: 10/02/2025
Product Description	: Black Colour Viscous Liquid	Analysis Starting Date	: 10/02/2025
Batch No./Lot No.	: 8MAI2501	Analysis Completion Date	: 15/02/2025
Date of Manufacturing	: JAN/2025	Date of Sampling	: -
Date of Expiry	: DEC/2026	Quantity Received	: 10gm x 6
Packing Condition	: Glass Container	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Mr. Ashok Kumar (AGSS Lab Repre.)	Sampling By	: NA
Testing Required	: Chemical Test		
Others specification	: Upakarma Ayurveda Pure Shilajit Resin with Ashwagandha		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
Chemical Parameters					
1	Description	-	Black color viscous liquid	-	API Part II Vol IV, Page No-117, 2017
2	Withanolides	%	1.28	-	In House Method
3	Fulvic Acid	%	71.92	-	In House Method

Remarks : The Tested sample conforms as per API, Part II Vol IV Appendix-2.4.1 and 2.4.2:2017 with respect to above test only.
Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

End of Report

P/25021000001/N-1



Imran Asif
Section In Charge (Food)
Checked by

Sooraj Gautam
Microbiologist
Authorized Signatory

Dr Shival Singh
Director Technical
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.