



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/CSP-024 Certificate No. TC-14844

TEST REPORT

Page No.: 1 of 1

Issued to : M/s. Pharma Force Lab (Unit-II) Paonta Sahib, Distt-Sirmour-173025	ULR No. : TC148442500005447F Report No. : AGSS/AP/25032500001 Sample Issue Date : 25/03/2025 Report Issue Date : 28/03/2025
----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------

Name of The Product	: Upkarma Ayurveda Pure Shilajit Resin	Sample Received Date	: 25/03/2025
	20g	Analysis Starting Date	: 25/03/2025
Product Description	: Dark brown colour shilajit resin	Analysis Completion Date	: 28/03/2025
		Date of Sampling	: -
Batch No./Lot No.	: 1MAI2501	Quantity Received	: 20gm x 2
Date of Manufacturing	: MAR/2025	Environment Condition	: OK
Date of Expiry	: FEB/2027	Sampling Method	: NA
Packing Condition	: Glass Container	Sampling By	: NA
Location	: NA		
Sample Received / Collected By	: Courier		
Testing Required	: Chemical Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
Heavy Metals					
1	Arsenic	mg/kg	BLQ(0.05)	3.0 Max	AGSS/CHEM/SOP-ICPMS-13
2	Cadmium	mg/kg	BLQ(0.05)	0.3 Max	AGSS/CHEM/SOP-ICPMS-13
3	Lead	mg/kg	BLQ(0.05)	10.0 Max	AGSS/CHEM/SOP-ICPMS-13
4	Mercury	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS-13

Remarks : The Tested sample conforms as per API, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

End of Report

P/25032500001-1



Umesh Kumar
Technical Manager
Checked by

Dr Shival Singh
Director Technical
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.



AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

TEST REPORT

Page No.: 1 of 1

Issued to : M/s. Pharma Force Lab (Unit-II) Paonta Sahib, Distt-Sirmour-173025	Report No. : AGSS/AP/25032500001/N Sample Issue Date : 25/03/2025 Report Issue Date : 28/03/2025
----------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------

Name of The Product	: Upkarma Ayurveda Pure Shilajit Resin	Sample Received Date	: 25/03/2025
	20g	Analysis Starting Date	: 25/03/2025
Product Description	: Dark brown colour shilajit resin	Analysis Completion Date	: 28/03/2025
		Date of Sampling	: -
Batch No./Lot No.	: 1MAI2501	Quantity Received	: 20gm x 2
Date of Manufacturing	: MAR/2025	Environment Condition	: OK
Date of Expiry	: FEB/2027	Sampling Method	: NA
Packing Condition	: Glass Container	Sampling By	: NA
Location	: NA		
Sample Received / Collected By	: Courier		
Testing Required	: Chemical Test		
Others specification	: NA		

TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
Chemical Parameters					
1	Fulvic Acid	%	68.95	-	In House Method


Remarks : The Tested sample conforms as per API, with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

End of Report

P/25032500001/N-1




Umesh Kumar
Technical Manager
Checked by


Dr Shival Singh
Director Technical
Authorized Signatory



NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

