



# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No.: AGSS/Cert-024 No. TC-14844

## TEST REPORT

Page No.: 1 of 2

<b>Issued to :</b> <b>M/s. Pharma Force Lab Unit-II</b> Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	<b>ULR No.</b> : TC148442500001881F <b>Report No.</b> : AGSS/AP/25020700002 <b>Sample Issue Date</b> : 07/02/2025 <b>Report Issue Date</b> : 12/02/2025
---	--

<b>Name of The Product</b>	: Upkarma Ayurveda Pure Shilajit Resin With Safed Musli	<b>Sample Received Date</b>	: 07/02/2025
<b>Product Description</b>	: Black Colour Viscous Liquid	<b>Analysis Starting Date</b>	: 07/02/2025
<b>Batch No./Lot No.</b>	: 5MAI2501	<b>Analysis Completion Date</b>	: 12/02/2025
<b>Date of Manufacturing</b>	: JAN/2025	<b>Date of Sampling</b>	: -
<b>Date of Expiry</b>	: DEC/2026	<b>Quantity Received</b>	: 10gm x 6
<b>Packing Condition</b>	: Glass Container	<b>Environment Condition</b>	: Ok
<b>Location</b>	: NA	<b>Sampling Method</b>	: NA
<b>Sample Received / Collected By</b>	: Courier	<b>Sampling By</b>	: NA
<b>Testing Required</b>	: Chemical & Microbiological Test		
<b>Others specification</b>	: NA		

## TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
<b>Chemical Parameters</b>					
1	Description	-	Black color viscous liquid	-	API Part - 2 Vol. IV
2	Moisture	%	17.11	-	API Part - 2 Vol. IV
3	Water Soluble Extractive	%	72.09	-	API Part - 2 Vol. IV
4	Total Ash	%	21.44	-	API Part - 2 Vol. IV
5	Acid Insoluble Ash	%	0.87	-	API Part - 2 Vol. IV
<b>Heavy Metals</b>					
6	Arsenic	mg/kg	BLQ(0.05)	3.0 Max	AGSS/CHEM/SOP-ICPMS-13
7	Cadmium	mg/kg	BLQ(0.05)	0.3 Max	AGSS/CHEM/SOP-ICPMS-13
8	Lead	mg/kg	BLQ(0.05)	10.0 Max	AGSS/CHEM/SOP-ICPMS-13
9	Mercury	mg/kg	BLQ(0.05)	1.0 Max	AGSS/CHEM/SOP-ICPMS-13
<b>Microbiological Parameters</b>					
10	Total Bacterial count	cfu/g	400	100000 Max	API, PART-2 VOL-IV, APPENDIX.-2.4.1 : 2017
11	Total Fungal count	cfu/g	<10	1000 Max	API, PART-2 VOL-IV, APPENDIX.-2.4.1 : 2017

P/25020700002-1



Imran Asif  
Section In Charge (Food)  
Checked by

Sooraj Gautam  
Microbiologist  
Authorized Signatory

Dr Shival Singh  
Director Technical  
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(Accredited as per ISO/IEC 17025 : 2017, Recognised by FSSAI, MoEF&CC and Directorate of Ayush)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslab.com Web.: www.agsslab.com



CIN : U73200DL2016PTC300483 GST : 07AAOCA4142Q1Z6

Format No. AGSS/CRF-024 Certificate No. TC-14844

Page No.: 2 of 2

<b>Issued to :</b> <b>M/s. Pharma Force Lab Unit-II</b> Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	<b>ULR No.</b> : TC148442500001881F <b>Report No.</b> : AGSS/AP/25020700002 <b>Sample Issue Date</b> : 07/02/2025 <b>Report Issue Date</b> : 12/02/2025
---	--

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
12	E.coli	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017
13	Salmonella	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017
14	Pseudomonas aeruginosa	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017
15	S.aureus	/g	Absent	Absent	API, PART-2 VOL-IV, APPENDIX.-2.4.2 : 2017

Remarks : The Tested sample conforms as per API, Part II Vol IV Appendix-2.4.1 and 2.4.2:2017 with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

\*\*\*End of Report\*\*\*

P/25020700002-2



Imran Asif

Section In Charge (Food)

Checked by

Sooraj Gautam

Microbiologist

Authorized Signatory

Dr Shikha Singh

Director Technical

Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 21 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.





# AGSS ANALYTICAL AND RESEARCH LAB (P) LTD.

(An ISO 9001 : 2015, 14001 : 2015, 45001 : 2018 Certified Company)

C-37/2, 2nd, 3rd & 4th Floor, Lawrence Road, Industrial Area, Delhi-35

Ph.: 011-45022985, 9311654060

E-mail: agsslabs@gmail.com, support@agsslabs.com Web.: www.agsslabs.com

Format No.: AGSS/QS/F-024

CIN : U73200DL2016PTC300483

## TEST REPORT

Page No.: 1 of 1

<b>Issued to :</b> <b>M/s. Pharma Force Lab Unit-II</b> Plot No-83-86, Industrial Area, Gondpur, Paonta Sahib, Dist-Sirmour, Himachal Pradesh-173025	<b>Report No.</b> : AGSS/AP/25020700002/N <b>Sample Issue Date</b> : 07/02/2025 <b>Report Issue Date</b> : 12/02/2025
---	---

Name of The Product	: Upkarma Ayurveda Pure Shilajit Resin With Safed Musli	Sample Received Date	: 07/02/2025
Product Description	: Black Colour Viscous Liquid	Analysis Starting Date	: 07/02/2025
Batch No./Lot No.	: 5MAI2501	Analysis Completion Date	: 12/02/2025
Date of Manufacturing	: JAN/2025	Date of Sampling	: -
Date of Expiry	: DEC/2026	Quantity Received	: 10gm x 6
Packing Condition	: Glass Container	Environment Condition	: Ok
Location	: NA	Sampling Method	: NA
Sample Received / Collected By	: Courier	Sampling By	: NA
Testing Required	: Chemical & Microbiological Test		
Others specification	: NA		

## TEST RESULT

S.No.	Test Parameters	Units	Results	Requirement as per API	Method Of Testing
1	Humic Acid	%	7.53	-	In House Method
2	Fulvic Acid	%	71.11	-	In House Method
3	Saponin	%	2.24	-	In House Method

Remarks : The Tested sample conforms as per API, Part II Vol IV Appendix-2.4.1 and 2.4.2:2017 with respect to above test only.

Note: 1) BLQ=Below Limit of Quantification. 2) Figure in bracket indicate limit of quantification.

\*\*\*End of Report\*\*\*

P/25020700002/N-1



Imran Asif  
Section In Charge (Food)  
Checked by

Sooraj Gautam  
Microbiologist  
Authorized Signatory

Dr Shival Singh  
Director Technical  
Authorized Signatory

NOTE : (1) The laboratory accepts the responsibility for content of report. (2) The above result pertain only to the sample tested and applicable parameters. (3) Test report shall not be reproduced except in full, without written approval of the laboratory. (4) This test report shall not be reproduced wholly or in part and can not be used as an evidence in the court of law without written approval of M/S AGSS. (5) The sample will be stored up to 20 days from the date of issue of test certificate unless otherwise specified. (6) Sample not drawn by M/S AGSS Lab, unless specified in report. (7) All disputes are subject to the Delhi jurisdiction.

